

# **Pronghorn Antelope Response Data Summary**

## **License Year 1997**

### **Harvest Surveys**

#### **Montana Fish Wildlife and Parks**

**October 20, 1999**

This report contains summaries of license year 1997 (LY97) pronghorn antelope hunting and harvest survey response data based on responses returned from random samples of antelope license holders. Montana residents were surveyed primarily by phone, while non-residents were surveyed by mail. The population of 24,584 Montana resident antelope license holders was sampled to generate 14,688 contact labels, for an overall sample rate of 60%. From these, 10,571 survey responses were returned and used in the analysis, for a resident return rate of 72%, and an overall response rate of 43%. The population of 5,519 non-resident antelope license holders was sampled to generate 3,920 contact labels, for an overall sample rate of 71%. From these, 1,722 survey responses were returned and used in the analysis, for a non-resident return rate of 44%, and an overall response rate of 31%.

Antelope response data is summarized by location (statewide, regional, and by hunting district) and by residency (Montana residents, non-residents, both combined). Antelope response data is not summarized down to individual License/Permit level in this report. The response data set alone does not contain this information. Also, these summaries do not present expanded statistical estimates of hunting effort or harvest success. Complete Antelope response data analysis requires information from additional data sets (Sportsperson/License Database, Quota and Regulations Database) and further data manipulations. These steps have not yet been completed. This report just summarizes the information contained in the response data set.

Given these limitations, summaries of response data can provide useful information. Relevant hunting and harvest ratios such as percent hunting and percent success are unaffected by statistical expansion, as are percent harvest by sex-age class or time period of kill. Though summaries to License/Permit Type are not possible from response data alone, by viewing district level response information, in the light of knowledge of the management use of the License/Permit Types valid within the district, it is sometimes possible to deduce hunting and harvest to License/Permit level.

**The following LY97 Antelope Response Data Summary tables are presented:**

- **General Respondent Data**
- **Hunter Effort and Success**
- **Hunter Effort Data**
- **Hunter Success and Kill by Sex-Age Class**
- **Hunter Success and Kill by Time Period**

Montana State Library



3 0864 1006 8963 0



## LY97 Antelope Response Data Summary, General Respondent Data

This summary is derived from the two most basic questions asked during the Antelope survey:

- Did you actively hunt for antelope?
- If so, how many antelope did you harvest?

**Res** = Residency class. N=non-residents, R=residents, All=both residency classes.

**Cons Pfx** = Conservation Prefix. These are the 2 digit codes the Licensing Section assigns to various types of conservation licenses sold. All antelope license holders must also hold a conservation license. All = all prefixes combined.

**Responding Sports** = Number of sportspersons returning responses.

**Responding Hunters** = Number of responding sportspersons reporting active hunting.

**Responding Successful** = Number of responding active hunters successful in harvesting one or more Antelope.

**Reported Harvest** = Number of Antelope harvested by successful Antelope survey respondents.

**Percent Hunting** = Ratio of active hunters to responding sportspersons \* 100. Percent of Antelope license holders that actually went hunting.

**Percent Success** = Ratio of successful hunters to active hunters \* 100. Percent of active hunters succeeding in taking one or more Antelope.

**Holders To Kill** = Ratio of responding sportspersons to reported harvest. An estimate of number of license/permit holders required to harvest an Antelope.

**Kill Per Hunter** = Ratio of reported harvest to active hunters. An estimate of the average number of Antelope harvested per active hunter.

**Kill Per Successful** = Ratio of reported harvest to successful hunters. An estimate of the average number of Antelope harvested per successful hunter.

Throughout this report, missing or undefined data is indicated by using a -9.

LY97 Antelope Response Data Summary, General Respondent Data  
Statewide, by Residency and Conservation Prefix

Res	Cons Pfx	Responding Sports	Responding Hunters	Responding Successful	Reported Harvest	Percent Hunting	Percent Success	Holders To Kill	Kill Per Hunter	Kill Per Successful
ALL	ALL	12,293	9,462	5,888	6,178	77.0	62.2	1.99	0.653	1.049
R	ALL	10,571	7,866	4,665	4,868	74.4	59.3	2.17	0.619	1.044
	09	1,269	927	528	547	73.0	57.0	2.32	0.590	1.036
	11	1,720	1,256	779	842	73.0	62.0	2.04	0.670	1.081
	12	3,160	2,367	1,356	1,403	74.9	57.3	2.25	0.593	1.035
	19	4,200	3,160	1,901	1,969	75.2	60.2	2.13	0.623	1.036
	34	103	72	53	54	69.9	73.6	1.91	0.750	1.019
	74	117	83	47	51	70.9	56.6	2.29	0.614	1.085
	81	2	1	1	2	50.0	100.0	1.00	2.000	2.000
N	ALL	1,722	1,596	1,223	1,310	92.7	76.6	1.31	0.821	1.071
	16	1,167	1,087	862	936	93.1	79.3	1.25	0.861	1.086
	20	5	5	4	4	100.0	80.0	1.25	0.800	1.000
	83	150	140	93	99	93.3	66.4	1.52	0.707	1.065
	84	76	59	34	34	77.6	57.6	2.24	0.576	1.000
	85	76	71	52	52	93.4	73.2	1.46	0.732	1.000
	86	125	118	99	99	94.4	83.9	1.26	0.839	1.000
	87	123	116	79	86	94.3	68.1	1.43	0.741	1.089



Digitized by the Internet Archive  
in 2019 with funding from  
Montana State Library

<https://archive.org/details/pronghornantelop1997mont>

## LY97 Antelope Response Data Summary, Hunter Effort and Success

This summary is derived by combining Antelope survey responses from the effort questions asked of active hunters:

- In which district(s) did you hunt Antelope?
- How many days did you spend hunting for Antelope in each district?

with the success question regarding harvest:

- How many antelope did you harvest?

**Loc** = Location. STA=Statewide, R01..R07 = Region (R09 = Unknown), ###=Antelope hunting district.

**Res** = Residency class. N=non-residents, R=residents, All=both residency classes.

**Responding Hunters** = Number of responding sportspersons reporting active hunting.

**Responding Successful** = Number of responding active hunters successful in harvesting one or more Antelope.

**Reported Harvest** = Number of Antelope harvested by successful Antelope survey respondents.

**Hunter Days** = Sum of hunter days reported by responding active hunters.

**Percent Success** = Ratio of successful hunters to active hunters \* 100. Percent of active hunters succeeding in taking one or more Antelope.

**Kill Per Hunter** = Ratio of reported harvest to active hunters. An estimate of the average number of Antelope harvested per active hunter.

**Kill Per Successful** = Ratio of reported harvest to successful hunters. An estimate of the average number of Antelope harvested per successful hunter.

**Days To Harvest** = Ratio of hunter days to reported harvest. An estimate of the average number of hunter days required to harvest an Antelope.

Tables are presented at the Statewide and Regional level, then at the Hunting District Level.

If there were no successful respondents within a location and residency class, then columns relating to hunting success will be blank.



**LY97 Antelope Response Data Summary, Hunter Effort and Success  
Statewide and Regional, By Residency**

Loc	Res	Responding Hunters	Responding Successful	Reported Harvest	Hunter Days	Percent Success	Kill Per Hunter	Kill Per Successful	Days To Harvest
STA	ALL	9,462	5,888	6,178	28,267	62.2	0.653	1.049	4.6
	R	7,866	4,665	4,868	22,508	59.3	0.619	1.044	4.6
	N	1,596	1,223	1,310	5,759	76.6	0.821	1.071	4.4
R02	ALL	4	2	2	5	50.0	0.500	1.000	2.5
	R	4	2	2	5	50.0	0.500	1.000	2.5
R03	ALL	1,773	925	926	5,250	52.2	0.522	1.001	5.7
	R	1,692	878	879	4,940	51.9	0.520	1.001	5.6
	N	81	47	47	310	58.0	0.580	1.000	6.6
R04	ALL	935	567	569	2,474	60.6	0.609	1.004	4.3
	R	891	536	538	2,323	60.2	0.604	1.004	4.3
	N	44	31	31	151	70.5	0.705	1.000	4.9
R05	ALL	2,270	1,393	1,397	6,063	61.4	0.615	1.003	4.3
	R	2,074	1,257	1,261	5,393	60.6	0.608	1.003	4.3
	N	196	136	136	670	69.4	0.694	1.000	4.9
R06	ALL	1,026	600	603	3,071	58.5	0.588	1.005	5.1
	R	918	519	521	2,719	56.5	0.568	1.004	5.2
	N	108	81	82	352	75.0	0.759	1.012	4.3
R07	ALL	3,472	2,403	2,676	11,277	69.2	0.771	1.114	4.2
	R	2,309	1,478	1,666	7,071	64.0	0.722	1.127	4.2
	N	1,163	925	1,010	4,206	79.5	0.868	1.092	4.2
R09	ALL	26	5	5	127	19.2	0.192	1.000	25.4
	R	14	1	1	57	7.1	0.071	1.000	57.0
	N	12	4	4	70	33.3	0.333	1.000	17.5

**LY97 Antelope Response Data Summary, Hunter Effort and Success  
By Hunting District and Residency**

Loc	Res	Responding Hunters	Responding Successful	Reported Harvest	Hunter Days	Percent Success	Kill Per Hunter	Kill Per Successful	Days To Harvest
<hr/>									
215	ALL	4	2	2	5	50.0	0.500	1.000	2.5
	R	4	2	2	5	50.0	0.500	1.000	2.5
<hr/>									
300	ALL	223	115	115	587	51.6	0.516	1.000	5.1
	R	208	103	103	525	49.5	0.495	1.000	5.1
	N	15	12	12	62	80.0	0.800	1.000	5.2
<hr/>									
301	ALL	43	13	13	123	30.2	0.302	1.000	9.5
	R	37	11	11	93	29.7	0.297	1.000	8.5
	N	6	2	2	30	33.3	0.333	1.000	15.0
<hr/>									
310	ALL	174	113	114	456	64.9	0.655	1.009	4.0
	R	170	112	113	446	65.9	0.665	1.009	3.9
	N	4	1	1	10	25.0	0.250	1.000	10.0
<hr/>									
311	ALL	64	32	32	226	50.0	0.500	1.000	7.1
	R	63	31	31	224	49.2	0.492	1.000	7.2
	N	1	1	1	2	100.0	1.000	1.000	2.0
<hr/>									
313	ALL	2			11				
	R	2			11				
<hr/>									
318	ALL	77	29	29	200	37.7	0.377	1.000	6.9
	R	74	29	29	193	39.2	0.392	1.000	6.7
	N	3			7				
<hr/>									
319	ALL	27	16	16	97	59.3	0.593	1.000	6.1
	R	27	16	16	97	59.3	0.593	1.000	6.1
<hr/>									
320	ALL	53	27	27	156	50.9	0.509	1.000	5.8
	R	48	25	25	143	52.1	0.521	1.000	5.7
	N	5	2	2	13	40.0	0.400	1.000	6.5
<hr/>									
321	ALL	95	47	47	264	49.5	0.495	1.000	5.6
	R	91	46	46	241	50.5	0.505	1.000	5.2
	N	4	1	1	23	25.0	0.250	1.000	23.0
<hr/>									
329	ALL	109	45	45	266	41.3	0.413	1.000	5.9
	R	104	44	44	244	42.3	0.423	1.000	5.5
	N	5	1	1	22	20.0	0.200	1.000	22.0
<hr/>									
330	ALL	69	27	27	213	39.1	0.391	1.000	7.9
	R	66	26	26	203	39.4	0.394	1.000	7.8
	N	3	1	1	10	33.3	0.333	1.000	10.0
<hr/>									
338	ALL	85	44	44	289	51.8	0.518	1.000	6.6
	R	80	41	41	278	51.3	0.513	1.000	6.8
	N	5	3	3	11	60.0	0.600	1.000	3.7
<hr/>									
339	ALL	89	59	59	209	66.3	0.663	1.000	3.5
	R	84	57	57	202	67.9	0.679	1.000	3.5
	N	5	2	2	7	40.0	0.400	1.000	3.5
<hr/>									
340	ALL	70	29	29	254	41.4	0.414	1.000	8.8
	R	65	27	27	237	41.5	0.415	1.000	8.8
	N	5	2	2	17	40.0	0.400	1.000	8.5

**LY97 Antelope Response Data Summary, Hunter Effort and Success  
By Hunting District and Residency**

Loc	Res	Responding Hunters	Responding Successful	Reported Harvest	Hunter Days	Percent Success	Kill Per Hunter	Kill Per Successful	Days To Harvest
<hr/>									
341	ALL	130	64	64	412	49.2	0.492	1.000	6.4
	R	128	64	64	404	50.0	0.500	1.000	6.3
	N	2			8				
<hr/>									
350	ALL	64	34	34	198	53.1	0.531	1.000	5.8
	R	63	33	33	193	52.4	0.524	1.000	5.8
	N	1	1	1	5	100.0	1.000	1.000	5.0
<hr/>									
360	ALL	166	99	99	406	59.6	0.596	1.000	4.1
	R	143	82	82	332	57.3	0.573	1.000	4.0
	N	23	17	17	74	73.9	0.739	1.000	4.4
<hr/>									
370	ALL	45	19	19	161	42.2	0.422	1.000	8.5
	R	44	19	19	157	43.2	0.432	1.000	8.3
	N	1			4				
<hr/>									
371	ALL	24	9	9	69	37.5	0.375	1.000	7.7
	R	24	9	9	69	37.5	0.375	1.000	7.7
<hr/>									
380	ALL	100	52	52	366	52.0	0.520	1.000	7.0
	R	99	51	51	364	51.5	0.515	1.000	7.1
	N	1	1	1	2	100.0	1.000	1.000	2.0
<hr/>									
381	ALL	10	9	9	37	90.0	0.900	1.000	4.1
	R	10	9	9	37	90.0	0.900	1.000	4.1
<hr/>									
382	ALL	5	2	2	30	40.0	0.400	1.000	15.0
	R	5	2	2	30	40.0	0.400	1.000	15.0
<hr/>									
390	ALL	49	27	27	128	55.1	0.551	1.000	4.7
	R	48	27	27	125	56.3	0.563	1.000	4.6
	N	1			3				
<hr/>									
399	ALL	31	14	14	92	45.2	0.452	1.000	6.6
	R	31	14	14	92	45.2	0.452	1.000	6.6
<hr/>									
401	ALL	130	67	67	341	51.5	0.515	1.000	5.1
	R	127	65	65	329	51.2	0.512	1.000	5.1
	N	3	2	2	12	66.7	0.667	1.000	6.0
<hr/>									
404	ALL	62	27	27	185	43.5	0.435	1.000	6.9
	R	58	24	24	170	41.4	0.414	1.000	7.1
	N	4	3	3	15	75.0	0.750	1.000	5.0
<hr/>									
413	ALL	41	23	23	108	56.1	0.561	1.000	4.7
	R	41	23	23	108	56.1	0.561	1.000	4.7
<hr/>									
420	ALL	31	20	20	74	64.5	0.645	1.000	3.7
	R	29	18	18	68	62.1	0.621	1.000	3.8
	N	2	2	2	6	100.0	1.000	1.000	3.0
<hr/>									
430	ALL	100	56	56	259	56.0	0.560	1.000	4.6
	R	98	54	54	251	55.1	0.551	1.000	4.6
	N	2	2	2	8	100.0	1.000	1.000	4.0
<hr/>									
440	ALL	36	26	26	97	72.2	0.722	1.000	3.7
	R	35	26	26	82	74.3	0.743	1.000	3.2
	N	1			15				



**LY97 Antelope Response Data Summary, Hunter Effort and Success  
By Hunting District and Residency**

Loc	Res	Responding Hunters	Responding Successful	Reported Harvest	Hunter Days	Percent Success	Kill Per Hunter	Kill Per Successful	Days To Harvest
<hr/>									
444	ALL	31	20	20	106	64.5	0.645	1.000	5.3
	R	30	19	19	103	63.3	0.633	1.000	5.4
	N	1	1	1	3	100.0	1.000	1.000	3.0
<hr/>									
450	ALL	92	64	64	210	69.6	0.696	1.000	3.3
	R	87	59	59	199	67.8	0.678	1.000	3.4
	N	5	5	5	11	100.0	1.000	1.000	2.2
<hr/>									
455	ALL	1			3				
	R	1			3				
<hr/>									
470	ALL	49	33	33	126	67.3	0.673	1.000	3.8
	R	47	31	31	124	66.0	0.660	1.000	4.0
	N	2	2	2	2	100.0	1.000	1.000	1.0
<hr/>									
471	ALL	30	14	14	59	46.7	0.467	1.000	4.2
	R	29	13	13	57	44.8	0.448	1.000	4.4
	N	1	1	1	2	100.0	1.000	1.000	2.0
<hr/>									
473	ALL	27	16	16	69	59.3	0.593	1.000	4.3
	R	27	16	16	69	59.3	0.593	1.000	4.3
<hr/>									
480	ALL	102	67	67	310	65.7	0.657	1.000	4.6
	R	95	63	63	268	66.3	0.663	1.000	4.3
	N	7	4	4	42	57.1	0.571	1.000	10.5
<hr/>									
481	ALL	36	16	16	113	44.4	0.444	1.000	7.1
	R	33	16	16	107	48.5	0.485	1.000	6.7
	N	3			6				
<hr/>									
490	ALL	75	56	56	163	74.7	0.747	1.000	2.9
	R	71	53	53	155	74.6	0.746	1.000	2.9
	N	4	3	3	8	75.0	0.750	1.000	2.7
<hr/>									
491	ALL	81	58	60	151	71.6	0.741	1.034	2.5
	R	75	53	55	141	70.7	0.733	1.038	2.6
	N	6	5	5	10	83.3	0.833	1.000	2.0
<hr/>									
499	ALL	24	4	4	100	16.7	0.167	1.000	25.0
	R	21	3	3	89	14.3	0.143	1.000	29.7
	N	3	1	1	11	33.3	0.333	1.000	11.0
<hr/>									
500	ALL	135	100	100	286	74.1	0.741	1.000	2.9
	R	128	96	96	267	75.0	0.750	1.000	2.8
	N	7	4	4	19	57.1	0.571	1.000	4.8
<hr/>									
501	ALL	156	112	113	430	71.8	0.724	1.009	3.8
	R	147	104	105	395	70.7	0.714	1.010	3.8
	N	9	8	8	35	88.9	0.889	1.000	4.4
<hr/>									
510	ALL	158	87	88	397	55.1	0.557	1.011	4.5
	R	140	79	80	346	56.4	0.571	1.013	4.3
	N	18	8	8	51	44.4	0.444	1.000	6.4
<hr/>									
511	ALL	123	73	73	470	59.3	0.593	1.000	6.4
	R	118	71	71	442	60.2	0.602	1.000	6.2
	N	5	2	2	28	40.0	0.400	1.000	14.0

**LY97 Antelope Response Data Summary, Hunter Effort and Success  
By Hunting District and Residency**

Loc	Res	Responding Hunters	Responding Successful	Reported Harvest	Hunter Days	Percent Success	Kill Per Hunter	Kill Per Successful	Days To Harvest
<hr/>									
512	ALL	92	42	42	339	45.7	0.457	1.000	8.1
	R	87	40	40	325	46.0	0.460	1.000	8.1
	N	5	2	2	14	40.0	0.400	1.000	7.0
<hr/>									
513	ALL	218	128	128	520	58.7	0.587	1.000	4.1
	R	187	107	107	426	57.2	0.572	1.000	4.0
	N	31	21	21	94	67.7	0.677	1.000	4.5
<hr/>									
514	ALL	86	36	36	369	41.9	0.419	1.000	10.3
	R	81	34	34	351	42.0	0.420	1.000	10.3
	N	5	2	2	18	40.0	0.400	1.000	9.0
<hr/>									
530	ALL	295	196	197	785	66.4	0.668	1.005	4.0
	R	246	156	157	616	63.4	0.638	1.006	3.9
	N	49	40	40	169	81.6	0.816	1.000	4.2
<hr/>									
540	ALL	72	36	36	191	50.0	0.500	1.000	5.3
	R	65	31	31	164	47.7	0.477	1.000	5.3
	N	7	5	5	27	71.4	0.714	1.000	5.4
<hr/>									
550	ALL	134	91	91	378	67.9	0.679	1.000	4.2
	R	129	86	86	347	66.7	0.667	1.000	4.0
	N	5	5	5	31	100.0	1.000	1.000	6.2
<hr/>									
560	ALL	203	130	130	540	64.0	0.640	1.000	4.2
	R	200	127	127	525	63.5	0.635	1.000	4.1
	N	3	3	3	15	100.0	1.000	1.000	5.0
<hr/>									
570	ALL	205	116	116	451	56.6	0.566	1.000	3.9
	R	185	103	103	409	55.7	0.557	1.000	4.0
	N	20	13	13	42	65.0	0.650	1.000	3.2
<hr/>									
571	ALL	172	111	112	358	64.5	0.651	1.009	3.2
	R	163	106	107	322	65.0	0.656	1.009	3.0
	N	9	5	5	36	55.6	0.556	1.000	7.2
<hr/>									
572	ALL	48	26	26	142	54.2	0.542	1.000	5.5
	R	41	21	21	124	51.2	0.512	1.000	5.9
	N	7	5	5	18	71.4	0.714	1.000	3.6
<hr/>									
590	ALL	178	105	105	386	59.0	0.590	1.000	3.7
	R	158	92	92	320	58.2	0.582	1.000	3.5
	N	20	13	13	66	65.0	0.650	1.000	5.1
<hr/>									
599	ALL	10	4	4	21	40.0	0.400	1.000	5.3
	R	8	4	4	14	50.0	0.500	1.000	3.5
	N	2			7				
<hr/>									
600	ALL	184	136	136	491	73.9	0.739	1.000	3.6
	R	164	121	121	435	73.8	0.738	1.000	3.6
	N	20	15	15	56	75.0	0.750	1.000	3.7
<hr/>									
610	ALL	21	13	13	63	61.9	0.619	1.000	4.8
	R	19	11	11	56	57.9	0.579	1.000	5.1
	N	2	2	2	7	100.0	1.000	1.000	3.5



**LY97 Antelope Response Data Summary, Hunter Effort and Success  
By Hunting District and Residency**

Loc	Res	Responding Hunters	Responding Successful	Reported Harvest	Hunter Days	Percent Success	Kill Per Hunter	Kill Per Successful	Days To Harvest
<hr/>									
620	ALL	208	121	121	618	58.2	0.582	1.000	5.1
	R	183	104	104	533	56.8	0.568	1.000	5.1
	N	25	17	17	85	68.0	0.680	1.000	5.0
<hr/>									
630	ALL	62	29	29	208	46.8	0.468	1.000	7.2
	R	61	28	28	207	45.9	0.459	1.000	7.4
	N	1	1	1	1	100.0	1.000	1.000	1.0
<hr/>									
640	ALL	13	4	4	48	30.8	0.308	1.000	12.0
	R	12	3	3	47	25.0	0.250	1.000	15.7
	N	1	1	1	1	100.0	1.000	1.000	1.0
<hr/>									
650	ALL	158	96	96	482	60.8	0.608	1.000	5.0
	R	134	80	80	401	59.7	0.597	1.000	5.0
	N	24	16	16	81	66.7	0.667	1.000	5.1
<hr/>									
651	ALL	56	33	34	144	58.9	0.607	1.030	4.2
	R	53	31	31	132	58.5	0.585	1.000	4.3
	N	3	2	3	12	66.7	1.000	1.500	4.0
<hr/>									
670	ALL	107	53	54	340	49.5	0.505	1.019	6.3
	R	99	47	48	315	47.5	0.485	1.021	6.6
	N	8	6	6	25	75.0	0.750	1.000	4.2
<hr/>									
690	ALL	216	115	116	643	53.2	0.537	1.009	5.5
	R	191	94	95	568	49.2	0.497	1.011	6.0
	N	25	21	21	75	84.0	0.840	1.000	3.6
<hr/>									
699	ALL	8			34				
	R	7			25				
	N	1			9				
<hr/>									
700	ALL	864	556	626	2,711	64.4	0.725	1.126	4.3
	R	672	433	490	2,017	64.4	0.729	1.132	4.1
	N	192	123	136	694	64.1	0.708	1.106	5.1
<hr/>									
701	ALL	1,150	741	843	3,172	64.4	0.733	1.138	3.8
	R	820	500	573	2,104	61.0	0.699	1.146	3.7
	N	330	241	270	1,068	73.0	0.818	1.120	4.0
<hr/>									
702	ALL	196	104	111	596	53.1	0.566	1.067	5.4
	R	133	67	73	401	50.4	0.549	1.090	5.5
	N	63	37	38	195	58.7	0.603	1.027	5.1
<hr/>									
703	ALL	396	227	241	1,310	57.3	0.609	1.062	5.4
	R	280	147	156	943	52.5	0.557	1.061	6.0
	N	116	80	85	367	69.0	0.733	1.063	4.3
<hr/>									
704	ALL	438	281	301	1,366	64.2	0.687	1.071	4.5
	R	240	135	144	704	56.3	0.600	1.067	4.9
	N	198	146	157	662	73.7	0.793	1.075	4.2
<hr/>									
705	ALL	675	503	552	2,111	74.5	0.818	1.097	3.8
	R	282	202	228	898	71.6	0.809	1.129	3.9
	N	393	301	324	1,213	76.6	0.824	1.076	3.7



LY97 Antelope Response Data Summary, Hunter Effort and Success  
By Hunting District and Residency

Loc	Res	Responding Hunters	Responding Successful	Reported Harvest	Hunter Days	Percent Success	Kill Per Hunter	Kill Per Successful	Days To Harvest
---	---	-----	-----	-----	-----	-----	-----	-----	-----
799	ALL	3	2	2	11	66.7	0.667	1.000	5.5
	R	2	2	2	4	100.0	1.000	1.000	2.0
	N	1			7				
999	ALL	26	5	5	127	19.2	0.192	1.000	25.4
	R	14	1	1	57	7.1	0.071	1.000	57.0
	N	12	4	4	70	33.3	0.333	1.000	17.5

## LY97 Antelope Response Data Summary, Hunter Effort Data

This summary is derived from the survey questions asked of active Antelope hunters:

- In which district(s) did you hunt Antelope?
- How many days did you spend hunting for Antelope in each district?

**Loc** = Location. STA=Statewide, R01..R07 = Region (R09 = Unknown), ###=Antelope hunting district.

**Res** = Residency class. N=non-residents, R=residents, All=both residency classes.

**Responding Hunters** = Number of responding sportspersons reporting active hunting.

**Districts Hunted** = Sum of number of individual hunting districts where hunters reported Antelope hunting. This is only meaningful at the Statewide and Regional levels.

**Hunter Days** = Sum of hunter days reported by responding active hunters.

**Districts Per Hunter** = Ratio of districts hunted to responding hunters. An estimate of the average number of districts hunted by an individual Antelope hunter. This is only meaningful at the Statewide and Regional levels.

**Days Per Hunter** = Ratio of hunter days to responding hunters. An estimate of the average number of hunter days per individual Antelope hunter.

**Days Per District** = Ratio of hunter days to number of districts hunted. An estimate of the average number of days an individual hunter spends hunting in a single district. This is only meaningful at the Statewide and Regional levels.

Tables are presented at the Statewide and Regional level, then at the Hunting District Level.

**LY97 Antelope Response Data Summary, Hunter Effort Data  
Statewide and Regional, By Residency**

Loc	Res	Responding Hunters	Districts Hunted	Hunter Districts Days Per Hunter	Days Per Hunter	Days Per District
---	---	-----	-----	-----	-----	-----
STA	ALL	9,462	9,822	28,267	1.04	2.99
	R	7,866	8,071	22,508	1.03	2.86
	N	1,596	1,751	5,759	1.10	3.61
R02	ALL	4	4	5	1.00	1.25
	R	4	4	5	1.00	1.25
R03	ALL	1,773	1,804	5,250	1.02	2.96
	R	1,692	1,714	4,940	1.01	2.92
	N	81	90	310	1.11	3.83
R04	ALL	935	948	2,474	1.01	2.65
	R	891	904	2,323	1.01	2.61
	N	44	44	151	1.00	3.43
R05	ALL	2,270	2,285	6,063	1.01	2.67
	R	2,074	2,083	5,393	1.00	2.60
	N	196	202	670	1.03	3.42
R06	ALL	1,026	1,033	3,071	1.01	2.99
	R	918	923	2,719	1.01	2.96
	N	108	110	352	1.02	3.26
R07	ALL	3,472	3,722	11,277	1.07	3.25
	R	2,309	2,429	7,071	1.05	3.06
	N	1,163	1,293	4,206	1.11	3.62
R09	ALL	26	26	127	1.00	4.88
	R	14	14	57	1.00	4.07
	N	12	12	70	1.00	5.83



**LY97 Antelope Response Data Summary, Hunter Effort Data  
By Hunting District and Residency**

Loc	Res	Responding Hunters	Hunter Days	Days Per Hunter
---	---	-----	-----	-----
215	ALL	4	5	1.25
	R	4	5	1.25
300	ALL	223	587	2.63
	R	208	525	2.52
	N	15	62	4.13
301	ALL	43	123	2.86
	R	37	93	2.51
	N	6	30	5.00
310	ALL	174	456	2.62
	R	170	446	2.62
	N	4	10	2.50
311	ALL	64	226	3.53
	R	63	224	3.56
	N	1	2	2.00
313	ALL	2	11	5.50
	R	2	11	5.50
318	ALL	77	200	2.60
	R	74	193	2.61
	N	3	7	2.33
319	ALL	27	97	3.59
	R	27	97	3.59
320	ALL	53	156	2.94
	R	48	143	2.98
	N	5	13	2.60
321	ALL	95	264	2.78
	R	91	241	2.65
	N	4	23	5.75
329	ALL	109	266	2.44
	R	104	244	2.35
	N	5	22	4.40
330	ALL	69	213	3.09
	R	66	203	3.08
	N	3	10	3.33
338	ALL	85	289	3.40
	R	80	278	3.48
	N	5	11	2.20
339	ALL	89	209	2.35
	R	84	202	2.40
	N	5	7	1.40
340	ALL	70	254	3.63
	R	65	237	3.65
	N	5	17	3.40

**LY97 Antelope Response Data Summary, Hunter Effort Data  
By Hunting District and Residency**

Loc	Res	Responding Hunters	Hunter Days	Days Per Hunter
341	ALL	130	412	3.17
	R	128	404	3.16
	N	2	8	4.00
350	ALL	64	198	3.09
	R	63	193	3.06
	N	1	5	5.00
360	ALL	166	406	2.45
	R	143	332	2.32
	N	23	74	3.22
370	ALL	45	161	3.58
	R	44	157	3.57
	N	1	4	4.00
371	ALL	24	69	2.88
	R	24	69	2.88
380	ALL	100	366	3.66
	R	99	364	3.68
	N	1	2	2.00
381	ALL	10	37	3.70
	R	10	37	3.70
382	ALL	5	30	6.00
	R	5	30	6.00
390	ALL	49	128	2.61
	R	48	125	2.60
	N	1	3	3.00
399	ALL	31	92	2.97
	R	31	92	2.97
401	ALL	130	341	2.62
	R	127	329	2.59
	N	3	12	4.00
404	ALL	62	185	2.98
	R	58	170	2.93
	N	4	15	3.75
413	ALL	41	108	2.63
	R	41	108	2.63
420	ALL	31	74	2.39
	R	29	68	2.34
	N	2	6	3.00
430	ALL	100	259	2.59
	R	98	251	2.56
	N	2	8	4.00
440	ALL	36	97	2.69
	R	35	82	2.34
	N	1	15	15.00

**LY97 Antelope Response Data Summary, Hunter Effort Data  
By Hunting District and Residency**

Loc	Res	Responding Hunters	Hunter Days	Days Per Hunter
----	----	-----	-----	-----
444	ALL	31	106	3.42
	R	30	103	3.43
	N	1	3	3.00
450	ALL	92	210	2.28
	R	87	199	2.29
	N	5	11	2.20
455	ALL	1	3	3.00
	R	1	3	3.00
470	ALL	49	126	2.57
	R	47	124	2.64
	N	2	2	1.00
471	ALL	30	59	1.97
	R	29	57	1.97
	N	1	2	2.00
473	ALL	27	69	2.56
	R	27	69	2.56
480	ALL	102	310	3.04
	R	95	268	2.82
	N	7	42	6.00
481	ALL	36	113	3.14
	R	33	107	3.24
	N	3	6	2.00
490	ALL	75	163	2.17
	R	71	155	2.18
	N	4	8	2.00
491	ALL	81	151	1.86
	R	75	141	1.88
	N	6	10	1.67
499	ALL	24	100	4.17
	R	21	89	4.24
	N	3	11	3.67
500	ALL	135	286	2.12
	R	128	267	2.09
	N	7	19	2.71
501	ALL	156	430	2.76
	R	147	395	2.69
	N	9	35	3.89
510	ALL	158	397	2.51
	R	140	346	2.47
	N	18	51	2.83
511	ALL	123	470	3.82
	R	118	442	3.75
	N	5	28	5.60



**LY97 Antelope Response Data Summary, Hunter Effort Data  
By Hunting District and Residency**

Loc	Res	Responding Hunters	Hunter Days	Days Per Hunter
512	ALL	92	339	3.68
	R	87	325	3.74
	N	5	14	2.80
513	ALL	218	520	2.39
	R	187	426	2.28
	N	31	94	3.03
514	ALL	86	369	4.29
	R	81	351	4.33
	N	5	18	3.60
530	ALL	295	785	2.66
	R	246	616	2.50
	N	49	169	3.45
540	ALL	72	191	2.65
	R	65	164	2.52
	N	7	27	3.86
550	ALL	134	378	2.82
	R	129	347	2.69
	N	5	31	6.20
560	ALL	203	540	2.66
	R	200	525	2.63
	N	3	15	5.00
570	ALL	205	451	2.20
	R	185	409	2.21
	N	20	42	2.10
571	ALL	172	358	2.08
	R	163	322	1.98
	N	9	36	4.00
572	ALL	48	142	2.96
	R	41	124	3.02
	N	7	18	2.57
590	ALL	178	386	2.17
	R	158	320	2.03
	N	20	66	3.30
599	ALL	10	21	2.10
	R	8	14	1.75
	N	2	7	3.50
600	ALL	184	491	2.67
	R	164	435	2.65
	N	20	56	2.80
610	ALL	21	63	3.00
	R	19	56	2.95
	N	2	7	3.50

**LY97 Antelope Response Data Summary, Hunter Effort Data  
By Hunting District and Residency**

Loc	Res	Responding Hunters	Hunter Days	Days Per Hunter
620	ALL	208	618	2.97
	R	183	533	2.91
	N	25	85	3.40
630	ALL	62	208	3.35
	R	61	207	3.39
	N	1	1	1.00
640	ALL	13	48	3.69
	R	12	47	3.92
	N	1	1	1.00
650	ALL	158	482	3.05
	R	134	401	2.99
	N	24	81	3.38
651	ALL	56	144	2.57
	R	53	132	2.49
	N	3	12	4.00
670	ALL	107	340	3.18
	R	99	315	3.18
	N	8	25	3.13
690	ALL	216	643	2.98
	R	191	568	2.97
	N	25	75	3.00
699	ALL	8	34	4.25
	R	7	25	3.57
	N	1	9	9.00
700	ALL	864	2,711	3.14
	R	672	2,017	3.00
	N	192	694	3.61
701	ALL	1,150	3,172	2.76
	R	820	2,104	2.57
	N	330	1,068	3.24
702	ALL	196	596	3.04
	R	133	401	3.02
	N	63	195	3.10
703	ALL	396	1,310	3.31
	R	280	943	3.37
	N	116	367	3.16
704	ALL	438	1,366	3.12
	R	240	704	2.93
	N	198	662	3.34
705	ALL	675	2,111	3.13
	R	282	898	3.18
	N	393	1,213	3.09

LY97 Antelope Response Data Summary, Hunter Effort Data  
By Hunting District and Residency

Loc	Res	Responding Hunters	Hunter Days	Days Per Hunter
799	ALL	3	11	3.67
	R	2	4	2.00
	N	1	7	7.00
999	ALL	26	127	4.88
	R	14	57	4.07
	N	12	70	5.83



## LY97 Antelope Response Data Summary, Hunter Success and Kill by Sex-Age Class

This summary is derived from survey questions asked of successful Antelope hunters. For each of up to three kills, the following questions were asked:

- In which district did you kill your Antelope?
- What was the sex-age class? (U=Unknown, Y=Fawn, F=Doe, M=Buck)

**Loc** = Location. STA=Statewide, R01..R07 = Region (R09 = Unknown), ###=Antelope hunting district.

**Res** = Residency class. N=non-residents, R=residents, All=both residency classes.

**Responding Hunters** = Number of responding sportspersons reporting active hunting.

**Reported Harvest** = Number of Antelope harvested by successful Antelope survey respondents.

**Kill Per Successful** = Ratio of reported harvest to successful hunters. An estimate of the average number of Antelope harvested per successful hunter.

**Reported Unknown** = Number of unknown sex-age class harvested by successful Antelope survey respondents.

**Reported Fawn** = Number of fawn sex-age class harvested by successful Antelope survey respondents.

**Reported Doe** = Number of doe sex-age class harvested by successful Antelope survey respondents.

**Reported Buck** = Number of buck sex-age class harvested by successful Antelope survey respondents.

**Pcnt Unkn** = An estimate of the percent harvest of unknown sex-age class.

**Pcnt Fawn** = An estimate of the percent harvest of sex-age class fawn.

**Pcnt Doe** = An estimate of the percent harvest of sex-age class doe.

**Pcnt Buck** = An estimate of the percent harvest of sex-age class buck.

Tables are presented at the Statewide and Regional level, then at the Hunting District Level.

LY97 Antelope Response Data Summary, Hunter Success and Kill By Sex-Age Class  
Statewide and Regional, by Residency

Loc	Res	Responding Successful	Reported Harvest	Kill Per Successful	Reported Unknown	Reported Fawn	Reported Doe	Reported Buck	Pcnt Unkn	Pcnt Fawn	Pcnt Doe	Pcnt Buck
---	---	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
STA	ALL	5,888	6,178	1.049	1	193	2,002	3,982	0.0	3.1	32.4	64.5
	R	4,665	4,868	1.044	0	133	1,556	3,179	0.0	2.7	32.0	65.3
	N	1,223	1,310	1.071	1	60	446	803	0.1	4.6	34.0	61.3
R02	ALL	2	2	1.000	0	0	1	1	0.0	0.0	50.0	50.0
	R	2	2	1.000	0	0	1	1	0.0	0.0	50.0	50.0
R03	ALL	925	926	1.001	0	26	368	532	0.0	2.8	39.7	57.5
	R	878	879	1.001	0	26	358	495	0.0	3.0	40.7	56.3
	N	47	47	1.000	0	0	10	37	0.0	0.0	21.3	78.7
R04	ALL	567	569	1.004	0	6	95	468	0.0	1.1	16.7	82.2
	R	536	538	1.004	0	6	91	441	0.0	1.1	16.9	82.0
	N	31	31	1.000	0	0	4	27	0.0	0.0	12.9	87.1
R05	ALL	1,393	1,397	1.003	0	41	429	927	0.0	2.9	30.7	66.4
	R	1,257	1,261	1.003	0	36	409	816	0.0	2.9	32.4	64.7
	N	136	136	1.000	0	5	20	111	0.0	3.7	14.7	81.6
R06	ALL	600	603	1.005	0	7	166	430	0.0	1.2	27.5	71.3
	R	519	521	1.004	0	7	142	372	0.0	1.3	27.3	71.4
	N	81	82	1.012	0	0	24	58	0.0	0.0	29.3	70.7
R07	ALL	2,403	2,676	1.114	1	113	941	1,621	0.0	4.2	35.2	60.6
	R	1,478	1,666	1.127	0	58	555	1,053	0.0	3.5	33.3	63.2
	N	925	1,010	1.092	1	55	386	568	0.1	5.4	38.2	56.2
R09	ALL	5	5	1.000	0	0	2	3	0.0	0.0	40.0	60.0
	R	1	1	1.000	0	0	0	1	0.0	0.0	0.0	100.0
	N	4	4	1.000	0	0	2	2	0.0	0.0	50.0	50.0

**LY97 Antelope Response Data Summary, Hunter Success and Kill By Sex-Age Class  
By Hunting District and Residency**

Loc	Res	Responding Successful	Reported Harvest	Kill Per Successful	Reported Unknown	Reported Fawn	Reported Doe	Reported Buck	Pcnt Unkn	Pcnt Fawn	Pcnt Doe	Pcnt Buck
<hr/>												
215	ALL	2	2	1.000	0	0	1	1	0.0	0.0	50.0	50.0
	R	2	2	1.000	0	0	1	1	0.0	0.0	50.0	50.0
300	ALL	115	115	1.000	0	6	46	63	0.0	5.2	40.0	54.8
	R	103	103	1.000	0	6	44	53	0.0	5.8	42.7	51.5
	N	12	12	1.000	0	0	2	10	0.0	0.0	16.7	83.3
301	ALL	13	13	1.000	0	0	4	9	0.0	0.0	30.8	69.2
	R	11	11	1.000	0	0	4	7	0.0	0.0	36.4	63.6
	N	2	2	1.000	0	0	0	2	0.0	0.0	0.0	100.0
310	ALL	113	114	1.009	0	2	61	51	0.0	1.8	53.5	44.7
	R	112	113	1.009	0	2	60	51	0.0	1.8	53.1	45.1
	N	1	1	1.000	0	0	1	0	0.0	0.0	100.0	0.0
311	ALL	32	32	1.000	0	0	3	29	0.0	0.0	9.4	90.6
	R	31	31	1.000	0	0	3	28	0.0	0.0	9.7	90.3
	N	1	1	1.000	0	0	0	1	0.0	0.0	0.0	100.0
318	ALL	29	29	1.000	0	1	9	19	0.0	3.4	31.0	65.5
	R	29	29	1.000	0	1	9	19	0.0	3.4	31.0	65.5
319	ALL	16	16	1.000	0	0	5	11	0.0	0.0	31.3	68.8
	R	16	16	1.000	0	0	5	11	0.0	0.0	31.3	68.8
320	ALL	27	27	1.000	0	1	5	21	0.0	3.7	18.5	77.8
	R	25	25	1.000	0	1	4	20	0.0	4.0	16.0	80.0
	N	2	2	1.000	0	0	1	1	0.0	0.0	50.0	50.0
321	ALL	47	47	1.000	0	1	17	29	0.0	2.1	36.2	61.7
	R	46	46	1.000	0	1	16	29	0.0	2.2	34.8	63.0
	N	1	1	1.000	0	0	1	0	0.0	0.0	100.0	0.0
329	ALL	45	45	1.000	0	2	11	32	0.0	4.4	24.4	71.1
	R	44	44	1.000	0	2	10	32	0.0	4.5	22.7	72.7
	N	1	1	1.000	0	0	1	0	0.0	0.0	100.0	0.0
330	ALL	27	27	1.000	0	3	7	17	0.0	11.1	25.9	63.0
	R	26	26	1.000	0	3	7	16	0.0	11.5	26.9	61.5
	N	1	1	1.000	0	0	0	1	0.0	0.0	0.0	100.0
338	ALL	44	44	1.000	0	2	10	32	0.0	4.5	22.7	72.7
	R	41	41	1.000	0	2	10	29	0.0	4.9	24.4	70.7
	N	3	3	1.000	0	0	0	3	0.0	0.0	0.0	100.0
339	ALL	59	59	1.000	0	0	21	38	0.0	0.0	35.6	64.4
	R	57	57	1.000	0	0	21	36	0.0	0.0	36.8	63.2
	N	2	2	1.000	0	0	0	2	0.0	0.0	0.0	100.0
340	ALL	29	29	1.000	0	0	16	13	0.0	0.0	55.2	44.8
	R	27	27	1.000	0	0	15	12	0.0	0.0	55.6	44.4
	N	2	2	1.000	0	0	1	1	0.0	0.0	50.0	50.0
341	ALL	64	64	1.000	0	2	30	32	0.0	3.1	46.9	50.0
	R	64	64	1.000	0	2	30	32	0.0	3.1	46.9	50.0
350	ALL	34	34	1.000	0	0	21	13	0.0	0.0	61.8	38.2
	R	33	33	1.000	0	0	21	12	0.0	0.0	63.6	36.4
	N	1	1	1.000	0	0	0	1	0.0	0.0	0.0	100.0



**LY97 Antelope Response Data Summary, Hunter Success and Kill By Sex-Age Class  
By Hunting District and Residency**

Loc	Res	Responding Successful	Reported Harvest	Kill Per Successful	Reported Unknown	Reported Fawn	Reported Doe	Reported Buck	Pcnt Unkn	Pcnt Fawn	Pcnt Doe	Pcnt Buck
<hr/>												
360	ALL	99	99	1.000	0	1	37	61	0.0	1.0	37.4	61.6
	R	82	82	1.000	0	1	35	46	0.0	1.2	42.7	56.1
	N	17	17	1.000	0	0	2	15	0.0	0.0	11.8	88.2
<hr/>												
370	ALL	19	19	1.000	0	1	9	9	0.0	5.3	47.4	47.4
	R	19	19	1.000	0	1	9	9	0.0	5.3	47.4	47.4
<hr/>												
371	ALL	9	9	1.000	0	0	2	7	0.0	0.0	22.2	77.8
	R	9	9	1.000	0	0	2	7	0.0	0.0	22.2	77.8
<hr/>												
380	ALL	52	52	1.000	0	0	30	22	0.0	0.0	57.7	42.3
	R	51	51	1.000	0	0	29	22	0.0	0.0	56.9	43.1
	N	1	1	1.000	0	0	1	0	0.0	0.0	100.0	0.0
<hr/>												
381	ALL	9	9	1.000	0	1	5	3	0.0	11.1	55.6	33.3
	R	9	9	1.000	0	1	5	3	0.0	11.1	55.6	33.3
<hr/>												
382	ALL	2	2	1.000	0	0	2	0	0.0	0.0	100.0	0.0
	R	2	2	1.000	0	0	2	0	0.0	0.0	100.0	0.0
<hr/>												
390	ALL	27	27	1.000	0	3	9	15	0.0	11.1	33.3	55.6
	R	27	27	1.000	0	3	9	15	0.0	11.1	33.3	55.6
<hr/>												
399	ALL	14	14	1.000	0	0	8	6	0.0	0.0	57.1	42.9
	R	14	14	1.000	0	0	8	6	0.0	0.0	57.1	42.9
<hr/>												
401	ALL	67	67	1.000	0	0	10	57	0.0	0.0	14.9	85.1
	R	65	65	1.000	0	0	10	55	0.0	0.0	15.4	84.6
	N	2	2	1.000	0	0	0	2	0.0	0.0	0.0	100.0
<hr/>												
404	ALL	27	27	1.000	0	0	3	24	0.0	0.0	11.1	88.9
	R	24	24	1.000	0	0	2	22	0.0	0.0	8.3	91.7
	N	3	3	1.000	0	0	1	2	0.0	0.0	33.3	66.7
<hr/>												
413	ALL	23	23	1.000	0	1	4	18	0.0	4.3	17.4	78.3
	R	23	23	1.000	0	1	4	18	0.0	4.3	17.4	78.3
<hr/>												
420	ALL	20	20	1.000	0	0	5	15	0.0	0.0	25.0	75.0
	R	18	18	1.000	0	0	5	13	0.0	0.0	27.8	72.2
	N	2	2	1.000	0	0	0	2	0.0	0.0	0.0	100.0
<hr/>												
430	ALL	56	56	1.000	0	1	14	41	0.0	1.8	25.0	73.2
	R	54	54	1.000	0	1	14	39	0.0	1.9	25.9	72.2
	N	2	2	1.000	0	0	0	2	0.0	0.0	0.0	100.0
<hr/>												
440	ALL	26	26	1.000	0	0	4	22	0.0	0.0	15.4	84.6
	R	26	26	1.000	0	0	4	22	0.0	0.0	15.4	84.6
<hr/>												
444	ALL	20	20	1.000	0	1	0	19	0.0	5.0	0.0	95.0
	R	19	19	1.000	0	1	0	18	0.0	5.3	0.0	94.7
	N	1	1	1.000	0	0	0	1	0.0	0.0	0.0	100.0
<hr/>												
450	ALL	64	64	1.000	0	0	8	56	0.0	0.0	12.5	87.5
	R	59	59	1.000	0	0	8	51	0.0	0.0	13.6	86.4
	N	5	5	1.000	0	0	0	5	0.0	0.0	0.0	100.0

LY97 Antelope Response Data Summary, Hunter Success and Kill By Sex-Age Class  
By Hunting District and Residency

Loc	Res	Responding Successful	Reported Harvest	Kill Per Successful	Reported Unknown	Reported Fawn	Reported Doe	Reported Buck	Pcnt Unkn	Pcnt Fawn	Pcnt Doe	Pcnt Buck
<hr/>												
470	ALL	33	33	1.000	0	0	6	27	0.0	0.0	18.2	81.8
	R	31	31	1.000	0	0	6	25	0.0	0.0	19.4	80.6
	N	2	2	1.000	0	0	0	2	0.0	0.0	0.0	100.0
471	ALL	14	14	1.000	0	0	3	11	0.0	0.0	21.4	78.6
	R	13	13	1.000	0	0	3	10	0.0	0.0	23.1	76.9
	N	1	1	1.000	0	0	0	1	0.0	0.0	0.0	100.0
473	ALL	16	16	1.000	0	0	2	14	0.0	0.0	12.5	87.5
	R	16	16	1.000	0	0	2	14	0.0	0.0	12.5	87.5
480	ALL	67	67	1.000	0	1	14	52	0.0	1.5	20.9	77.6
	R	63	63	1.000	0	1	14	48	0.0	1.6	22.2	76.2
	N	4	4	1.000	0	0	0	4	0.0	0.0	0.0	100.0
481	ALL	16	16	1.000	0	1	3	12	0.0	6.3	18.8	75.0
	R	16	16	1.000	0	1	3	12	0.0	6.3	18.8	75.0
490	ALL	56	56	1.000	0	0	10	46	0.0	0.0	17.9	82.1
	R	53	53	1.000	0	0	8	45	0.0	0.0	15.1	84.9
	N	3	3	1.000	0	0	2	1	0.0	0.0	66.7	33.3
491	ALL	58	60	1.034	0	1	9	50	0.0	1.7	15.0	83.3
	R	53	55	1.038	0	1	8	46	0.0	1.8	14.5	83.6
	N	5	5	1.000	0	0	1	4	0.0	0.0	20.0	80.0
499	ALL	4	4	1.000	0	0	0	4	0.0	0.0	0.0	100.0
	R	3	3	1.000	0	0	0	3	0.0	0.0	0.0	100.0
	N	1	1	1.000	0	0	0	1	0.0	0.0	0.0	100.0
500	ALL	100	100	1.000	0	3	25	72	0.0	3.0	25.0	72.0
	R	96	96	1.000	0	3	22	71	0.0	3.1	22.9	74.0
	N	4	4	1.000	0	0	3	1	0.0	0.0	75.0	25.0
501	ALL	112	113	1.009	0	5	32	76	0.0	4.4	28.3	67.3
	R	104	105	1.010	0	4	31	70	0.0	3.8	29.5	66.7
	N	8	8	1.000	0	1	1	6	0.0	12.5	12.5	75.0
510	ALL	87	88	1.011	0	2	31	55	0.0	2.3	35.2	62.5
	R	79	80	1.013	0	1	30	49	0.0	1.3	37.5	61.3
	N	8	8	1.000	0	1	1	6	0.0	12.5	12.5	75.0
511	ALL	73	73	1.000	0	1	17	55	0.0	1.4	23.3	75.3
	R	71	71	1.000	0	1	17	53	0.0	1.4	23.9	74.6
	N	2	2	1.000	0	0	0	2	0.0	0.0	0.0	100.0
512	ALL	42	42	1.000	0	0	17	25	0.0	0.0	40.5	59.5
	R	40	40	1.000	0	0	17	23	0.0	0.0	42.5	57.5
	N	2	2	1.000	0	0	0	2	0.0	0.0	0.0	100.0
513	ALL	128	128	1.000	0	5	49	74	0.0	3.9	38.3	57.8
	R	107	107	1.000	0	3	46	58	0.0	2.8	43.0	54.2
	N	21	21	1.000	0	2	3	16	0.0	9.5	14.3	76.2
514	ALL	36	36	1.000	0	0	12	24	0.0	0.0	33.3	66.7
	R	34	34	1.000	0	0	11	23	0.0	0.0	32.4	67.6
	N	2	2	1.000	0	0	1	1	0.0	0.0	50.0	50.0



LY97 Antelope Response Data Summary, Hunter Success and Kill By Sex-Age Class  
By Hunting District and Residency

Loc	Res	Responding Successful	Reported Harvest	Kill Per Successful	Reported Unknown	Reported Fawn	Reported Doe	Reported Buck	Pcnt Unkn	Pcnt Fawn	Pcnt Doe	Pcnt Buck
<hr/>												
530	ALL	196	197	1.005	0	10	58	129	0.0	5.1	29.4	65.5
	R	156	157	1.006	0	9	55	93	0.0	5.7	35.0	59.2
	N	40	40	1.000	0	1	3	36	0.0	2.5	7.5	90.0
<hr/>												
540	ALL	36	36	1.000	0	0	5	31	0.0	0.0	13.9	86.1
	R	31	31	1.000	0	0	3	28	0.0	0.0	9.7	90.3
	N	5	5	1.000	0	0	2	3	0.0	0.0	40.0	60.0
<hr/>												
550	ALL	91	91	1.000	0	1	26	64	0.0	1.1	28.6	70.3
	R	86	86	1.000	0	1	26	59	0.0	1.2	30.2	68.6
	N	5	5	1.000	0	0	0	5	0.0	0.0	0.0	100.0
<hr/>												
560	ALL	130	130	1.000	0	3	37	90	0.0	2.3	28.5	69.2
	R	127	127	1.000	0	3	36	88	0.0	2.4	28.3	69.3
	N	3	3	1.000	0	0	1	2	0.0	0.0	33.3	66.7
<hr/>												
570	ALL	116	116	1.000	0	2	46	68	0.0	1.7	39.7	58.6
	R	103	103	1.000	0	2	44	57	0.0	1.9	42.7	55.3
	N	13	13	1.000	0	0	2	11	0.0	0.0	15.4	84.6
<hr/>												
571	ALL	111	112	1.009	0	3	34	75	0.0	2.7	30.4	67.0
	R	106	107	1.009	0	3	34	70	0.0	2.8	31.8	65.4
	N	5	5	1.000	0	0	0	5	0.0	0.0	0.0	100.0
<hr/>												
572	ALL	26	26	1.000	0	0	10	16	0.0	0.0	38.5	61.5
	R	21	21	1.000	0	0	9	12	0.0	0.0	42.9	57.1
	N	5	5	1.000	0	0	1	4	0.0	0.0	20.0	80.0
<hr/>												
590	ALL	105	105	1.000	0	6	29	70	0.0	5.7	27.6	66.7
	R	92	92	1.000	0	6	27	59	0.0	6.5	29.3	64.1
	N	13	13	1.000	0	0	2	11	0.0	0.0	15.4	84.6
<hr/>												
599	ALL	4	4	1.000	0	0	1	3	0.0	0.0	25.0	75.0
	R	4	4	1.000	0	0	1	3	0.0	0.0	25.0	75.0
<hr/>												
600	ALL	136	136	1.000	0	1	42	93	0.0	0.7	30.9	68.4
	R	121	121	1.000	0	1	36	84	0.0	0.8	29.8	69.4
	N	15	15	1.000	0	0	6	9	0.0	0.0	40.0	60.0
<hr/>												
610	ALL	13	13	1.000	0	0	3	10	0.0	0.0	23.1	76.9
	R	11	11	1.000	0	0	2	9	0.0	0.0	18.2	81.8
	N	2	2	1.000	0	0	1	1	0.0	0.0	50.0	50.0
<hr/>												
620	ALL	121	121	1.000	0	3	38	80	0.0	2.5	31.4	66.1
	R	104	104	1.000	0	3	32	69	0.0	2.9	30.8	66.3
	N	17	17	1.000	0	0	6	11	0.0	0.0	35.3	64.7
<hr/>												
630	ALL	29	29	1.000	0	0	3	26	0.0	0.0	10.3	89.7
	R	28	28	1.000	0	0	3	25	0.0	0.0	10.7	89.3
	N	1	1	1.000	0	0	0	1	0.0	0.0	0.0	100.0
<hr/>												
640	ALL	4	4	1.000	0	0	2	2	0.0	0.0	50.0	50.0
	R	3	3	1.000	0	0	2	1	0.0	0.0	66.7	33.3
	N	1	1	1.000	0	0	0	1	0.0	0.0	0.0	100.0



**LY97 Antelope Response Data Summary, Hunter Success and Kill By Sex-Age Class  
By Hunting District and Residency**

Loc	Res	Responding Successful	Reported Harvest	Kill Per Successful	Reported Unknown	Reported Fawn	Reported Doe	Reported Buck	Pcnt Unkn	Pcnt Fawn	Pcnt Doe	Pcnt Buck
<hr/>												
650	ALL	96	96	1.000	0	3	27	66	0.0	3.1	28.1	68.8
	R	80	80	1.000	0	3	22	55	0.0	3.8	27.5	68.8
	N	16	16	1.000	0	0	5	11	0.0	0.0	31.3	68.8
<hr/>												
651	ALL	33	34	1.030	0	0	12	22	0.0	0.0	35.3	64.7
	R	31	31	1.000	0	0	11	20	0.0	0.0	35.5	64.5
	N	2	3	1.500	0	0	1	2	0.0	0.0	33.3	66.7
<hr/>												
670	ALL	53	54	1.019	0	0	11	43	0.0	0.0	20.4	79.6
	R	47	48	1.021	0	0	11	37	0.0	0.0	22.9	77.1
	N	6	6	1.000	0	0	0	6	0.0	0.0	0.0	100.0
<hr/>												
690	ALL	115	116	1.009	0	0	28	88	0.0	0.0	24.1	75.9
	R	94	95	1.011	0	0	23	72	0.0	0.0	24.2	75.8
	N	21	21	1.000	0	0	5	16	0.0	0.0	23.8	76.2
<hr/>												
700	ALL	556	626	1.126	0	32	236	358	0.0	5.1	37.7	57.2
	R	433	490	1.132	0	23	170	297	0.0	4.7	34.7	60.6
	N	123	136	1.106	0	9	66	61	0.0	6.6	48.5	44.9
<hr/>												
701	ALL	741	843	1.138	1	36	301	505	0.1	4.3	35.7	59.9
	R	500	573	1.146	0	22	204	347	0.0	3.8	35.6	60.6
	N	241	270	1.120	1	14	97	158	0.4	5.2	35.9	58.5
<hr/>												
702	ALL	104	111	1.067	0	3	35	73	0.0	2.7	31.5	65.8
	R	67	73	1.090	0	1	21	51	0.0	1.4	28.8	69.9
	N	37	38	1.027	0	2	14	22	0.0	5.3	36.8	57.9
<hr/>												
703	ALL	227	241	1.062	0	9	82	150	0.0	3.7	34.0	62.2
	R	147	156	1.061	0	3	48	105	0.0	1.9	30.8	67.3
	N	80	85	1.063	0	6	34	45	0.0	7.1	40.0	52.9
<hr/>												
704	ALL	281	301	1.071	0	7	95	199	0.0	2.3	31.6	66.1
	R	135	144	1.067	0	2	41	101	0.0	1.4	28.5	70.1
	N	146	157	1.075	0	5	54	98	0.0	3.2	34.4	62.4
<hr/>												
705	ALL	503	552	1.097	0	26	192	334	0.0	4.7	34.8	60.5
	R	202	228	1.129	0	7	71	150	0.0	3.1	31.1	65.8
	N	301	324	1.076	0	19	121	184	0.0	5.9	37.3	56.8
<hr/>												
799	ALL	2	2	1.000	0	0	0	2	0.0	0.0	0.0	100.0
	R	2	2	1.000	0	0	0	2	0.0	0.0	0.0	100.0
<hr/>												
999	ALL	5	5	1.000	0	0	2	3	0.0	0.0	40.0	60.0
	R	1	1	1.000	0	0	0	1	0.0	0.0	0.0	100.0
	N	4	4	1.000	0	0	2	2	0.0	0.0	50.0	50.0

## **LY97 Antelope Response Data Summary, Hunter Success and Kill by Time Period**

This summary is derived from survey questions asked of successful Antelope hunters. For each of up to three kills, the following questions were asked:

- In which district did you kill your Antelope?
- In what time period did you kill your Antelope? (U=Unknown, 1=Pre-season, 2=Week 1, 3=Week 2, 4=Week 3, 5=Week 4)

**Loc** = Location. STA=Statewide, R01..R07 = Region (R09 = Unknown), ###=Antelope hunting district.

**Res** = Residency class. N=non-residents, R=residents, All=both residency classes.

**Reported Harvest** = Number of Antelope harvested by successful Antelope survey respondents.

**Time Unkn** = Number of harvested during an unknown time period by successful Antelope survey respondents.

**Pre-season** = Number of harvested during the pre-season time period by successful Antelope survey respondents.

**First Week** = Number of harvested during the first week of the general season by successful Antelope survey respondents.

**Second Week** = Number of harvested during the second week of the general season by successful Antelope survey respondents.

**Third Week** = Number of harvested during the third week of the general season by successful Antelope survey respondents.

**Fourth Week** = Number of harvested during the fourth week of the general season by successful Antelope survey respondents.

**Pcnt Pre** = An estimate of the percent harvest during pre-season.

**Pcnt Wk 1** = An estimate of the percent harvest during week 1 of the general season.

**Pcnt Wk 2** = An estimate of the percent harvest during week 2 of the general season.

**Pcnt Wk 3** = An estimate of the percent harvest during week 3 of the general season.

**Pcnt Wk 4** = An estimate of the percent harvest during week 4 of the general season.

Tables are presented at the Statewide and Regional level, then at the Hunting District Level.

LY97 Antelope Response Data Summary, Kill By Time Period  
Statewide and Regional, by Residency

Loc	Res	Reported Harvest	Time Unkn	Pre- Season	First Week	Second Week	Third Week	Fourth Week	Pcnt Unkn	Pcnt Pre	Pcnt Wk 1	Pcnt Wk 2	Pcnt Wk 3	Pcnt Wk 4
STA	ALL	6,178	43	385	3,024	1,317	833	576	0.7	6.2	48.9	21.3	13.5	9.3
	R	4,868	8	305	2,526	1,011	558	460	0.2	6.3	51.9	20.8	11.5	9.4
	N	1,310	35	80	498	306	275	116	2.7	6.1	38.0	23.4	21.0	8.9
R02	ALL	2	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
	R	2	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
R03	ALL	926	3	110	470	167	101	75	0.3	11.9	50.8	18.0	10.9	8.1
	R	879	2	98	454	161	92	72	0.2	11.1	51.6	18.3	10.5	8.2
	N	47	1	12	16	6	9	3	2.1	25.5	34.0	12.8	19.1	6.4
R04	ALL	569	1	38	307	92	65	66	0.2	6.7	54.0	16.2	11.4	11.6
	R	538	0	38	294	89	56	61	0.0	7.1	54.6	16.5	10.4	11.3
	N	31	1	0	13	3	9	5	3.2	0.0	41.9	9.7	29.0	16.1
R05	ALL	1,397	9	66	730	299	164	129	0.6	4.7	52.3	21.4	11.7	9.2
	R	1,261	2	61	677	270	136	115	0.2	4.8	53.7	21.4	10.8	9.1
	N	136	7	5	53	29	28	14	5.1	3.7	39.0	21.3	20.6	10.3
R06	ALL	603	3	38	304	132	64	62	0.5	6.3	50.4	21.9	10.6	10.3
	R	521	1	34	275	105	51	55	0.2	6.5	52.8	20.2	9.8	10.6
	N	82	2	4	29	27	13	7	2.4	4.9	35.4	32.9	15.9	8.5
R07	ALL	2,676	27	132	1,209	625	439	244	1.0	4.9	45.2	23.4	16.4	9.1
	R	1,666	3	73	824	386	223	157	0.2	4.4	49.5	23.2	13.4	9.4
	N	1,010	24	59	385	239	216	87	2.4	5.8	38.1	23.7	21.4	8.6
R09	ALL	5	0	0	3	2	0	0	0.0	0.0	60.0	40.0	0.0	0.0
	R	1	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
	N	4	0	0	2	2	0	0	0.0	0.0	50.0	50.0	0.0	0.0



LY97 Antelope Response Data Summary, Kill By Time Period  
By Hunting District and Residency

Loc	Res	Reported Harvest	Time Unkn	Pre- Season	First Week	Second Week	Third Week	Fourth Week	Pant Unkn	Pant Pre	Pant Wk 1	Pant Wk 2	Pant Wk 3	Pant Wk 4
215	ALL	2	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
	R	2	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
300	ALL	115	1	8	72	20	13	1	0.9	7.0	62.6	17.4	11.3	0.9
	R	103	0	8	66	17	11	1	0.0	7.8	64.1	16.5	10.7	1.0
	N	12	1	0	6	3	2	0	8.3	0.0	50.0	25.0	16.7	0.0
301	ALL	13	0	2	5	2	3	1	0.0	15.4	38.5	15.4	23.1	7.7
	R	11	0	2	5	1	2	1	0.0	18.2	45.5	9.1	18.2	9.1
	N	2	0	0	0	1	1	0	0.0	0.0	0.0	50.0	50.0	0.0
310	ALL	114	0	15	57	20	13	9	0.0	13.2	50.0	17.5	11.4	7.9
	R	113	0	15	56	20	13	9	0.0	13.3	49.6	17.7	11.5	8.0
	N	1	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
311	ALL	32	0	1	16	9	2	4	0.0	3.1	50.0	28.1	6.3	12.5
	R	31	0	1	15	9	2	4	0.0	3.2	48.4	29.0	6.5	12.9
	N	1	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
318	ALL	29	0	2	21	2	3	1	0.0	6.9	72.4	6.9	10.3	3.4
	R	29	0	2	21	2	3	1	0.0	6.9	72.4	6.9	10.3	3.4
319	ALL	16	0	2	8	3	2	1	0.0	12.5	50.0	18.8	12.5	6.3
	R	16	0	2	8	3	2	1	0.0	12.5	50.0	18.8	12.5	6.3
320	ALL	27	0	5	9	8	2	3	0.0	18.5	33.3	29.6	7.4	11.1
	R	25	0	4	9	8	1	3	0.0	16.0	36.0	32.0	4.0	12.0
	N	2	0	1	0	0	1	0	0.0	50.0	0.0	0.0	50.0	0.0
321	ALL	47	1	2	22	7	2	13	2.1	4.3	46.8	14.9	4.3	27.7
	R	46	1	2	22	7	2	12	2.2	4.3	47.8	15.2	4.3	26.1
	N	1	0	0	0	0	0	1	0.0	0.0	0.0	0.0	0.0	100.0
329	ALL	45	0	3	22	11	4	5	0.0	6.7	48.9	24.4	8.9	11.1
	R	44	0	3	22	11	3	5	0.0	6.8	50.0	25.0	6.8	11.4
	N	1	0	0	0	0	1	0	0.0	0.0	0.0	0.0	100.0	0.0
330	ALL	27	0	2	16	5	2	2	0.0	7.4	59.3	18.5	7.4	7.4
	R	26	0	2	16	4	2	2	0.0	7.7	61.5	15.4	7.7	7.7
	N	1	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
338	ALL	44	1	0	23	7	8	5	2.3	0.0	52.3	15.9	18.2	11.4
	R	41	1	0	23	7	7	3	2.4	0.0	56.1	17.1	17.1	7.3
	N	3	0	0	0	0	1	2	0.0	0.0	0.0	0.0	33.3	66.7
339	ALL	59	0	6	23	17	6	7	0.0	10.2	39.0	28.8	10.2	11.9
	R	57	0	6	22	17	5	7	0.0	10.5	38.6	29.8	8.8	12.3
	N	2	0	0	1	0	1	0	0.0	0.0	50.0	0.0	50.0	0.0
340	ALL	29	0	1	15	6	6	1	0.0	3.4	51.7	20.7	20.7	3.4
	R	27	0	1	14	6	5	1	0.0	3.7	51.9	22.2	18.5	3.7
	N	2	0	0	1	0	1	0	0.0	0.0	50.0	0.0	50.0	0.0
341	ALL	64	0	10	30	14	6	4	0.0	15.6	46.9	21.9	9.4	6.3
	R	64	0	10	30	14	6	4	0.0	15.6	46.9	21.9	9.4	6.3
350	ALL	34	0	6	19	3	2	4	0.0	17.6	55.9	8.8	5.9	11.8
	R	33	0	6	18	3	2	4	0.0	18.2	54.5	9.1	6.1	12.1
	N	1	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0

LY97 Antelope Response Data Summary, Kill By Time Period  
By Hunting District and Residency

Loc	Res	Reported Harvest	Time Unkn	Pre- Season	First Week	Second Week	Third Week	Fourth Week	Pcnt Unkn	Pcnt Pre	Pcnt Wk 1	Pcnt Wk 2	Pcnt Wk 3	Pcnt Wk 4
360	ALL	99	0	31	31	15	13	9	0.0	31.3	31.3	15.2	13.1	9.1
	R	82	0	20	27	14	12	9	0.0	24.4	32.9	17.1	14.6	11.0
	N	17	0	11	4	1	1	0	0.0	64.7	23.5	5.9	5.9	0.0
370	ALL	19	0	4	8	4	3	0	0.0	21.1	42.1	21.1	15.8	0.0
	R	19	0	4	8	4	3	0	0.0	21.1	42.1	21.1	15.8	0.0
371	ALL	9	0	0	7	1	1	0	0.0	0.0	77.8	11.1	11.1	0.0
	R	9	0	0	7	1	1	0	0.0	0.0	77.8	11.1	11.1	0.0
380	ALL	52	0	3	33	8	5	3	0.0	5.8	63.5	15.4	9.6	5.8
	R	51	0	3	32	8	5	3	0.0	5.9	62.7	15.7	9.8	5.9
	N	1	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
381	ALL	9	0	1	3	3	2	0	0.0	11.1	33.3	33.3	22.2	0.0
	R	9	0	1	3	3	2	0	0.0	11.1	33.3	33.3	22.2	0.0
382	ALL	2	0	2	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
	R	2	0	2	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
390	ALL	27	0	2	21	1	2	1	0.0	7.4	77.8	3.7	7.4	3.7
	R	27	0	2	21	1	2	1	0.0	7.4	77.8	3.7	7.4	3.7
399	ALL	14	0	2	9	1	1	1	0.0	14.3	64.3	7.1	7.1	7.1
	R	14	0	2	9	1	1	1	0.0	14.3	64.3	7.1	7.1	7.1
401	ALL	67	0	7	32	7	8	13	0.0	10.4	47.8	10.4	11.9	19.4
	R	65	0	7	30	7	8	13	0.0	10.8	46.2	10.8	12.3	20.0
	N	2	0	0	2	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
404	ALL	27	0	2	14	5	3	3	0.0	7.4	51.9	18.5	11.1	11.1
	R	24	0	2	14	4	1	3	0.0	8.3	58.3	16.7	4.2	12.5
	N	3	0	0	0	1	2	0	0.0	0.0	0.0	33.3	66.7	0.0
413	ALL	23	0	0	10	3	6	4	0.0	0.0	43.5	13.0	26.1	17.4
	R	23	0	0	10	3	6	4	0.0	0.0	43.5	13.0	26.1	17.4
420	ALL	20	0	2	8	8	0	2	0.0	10.0	40.0	40.0	0.0	10.0
	R	18	0	2	7	8	0	1	0.0	11.1	38.9	44.4	0.0	5.6
	N	2	0	0	1	0	0	1	0.0	0.0	50.0	0.0	0.0	50.0
430	ALL	56	0	2	28	10	9	7	0.0	3.6	50.0	17.9	16.1	12.5
	R	54	0	2	27	10	8	7	0.0	3.7	50.0	18.5	14.8	13.0
	N	2	0	0	1	0	1	0	0.0	0.0	50.0	0.0	50.0	0.0
440	ALL	26	0	3	13	4	2	4	0.0	11.5	50.0	15.4	7.7	15.4
	R	26	0	3	13	4	2	4	0.0	11.5	50.0	15.4	7.7	15.4
444	ALL	20	0	1	14	3	2	0	0.0	5.0	70.0	15.0	10.0	0.0
	R	19	0	1	13	3	2	0	0.0	5.3	68.4	15.8	10.5	0.0
	N	1	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
450	ALL	64	0	2	42	9	6	5	0.0	3.1	65.6	14.1	9.4	7.8
	R	59	0	2	41	8	5	3	0.0	3.4	69.5	13.6	8.5	5.1
	N	5	0	0	1	1	1	2	0.0	0.0	20.0	20.0	20.0	40.0

LY97 Antelope Response Data Summary, Kill By Time Period  
By Hunting District and Residency

Loc	Res	Reported Harvest	Time Unkn	Pre- Season	First Week	Second Week	Third Week	Fourth Week	Pcnt Unkn	Pcnt Pre	Pcnt Wk 1	Pcnt Wk 2	Pcnt Wk 3	Pcnt Wk 4
470	ALL	33	0	1	15	7	3	7	0.0	3.0	45.5	21.2	9.1	21.2
	R	31	0	1	14	7	2	7	0.0	3.2	45.2	22.6	6.5	22.6
	N	2	0	0	1	0	1	0	0.0	0.0	50.0	0.0	50.0	0.0
471	ALL	14	0	0	10	2	0	2	0.0	0.0	71.4	14.3	0.0	14.3
	R	13	0	0	10	2	0	1	0.0	0.0	76.9	15.4	0.0	7.7
	N	1	0	0	0	0	0	1	0.0	0.0	0.0	0.0	0.0	100.0
473	ALL	16	0	0	9	5	2	0	0.0	0.0	56.3	31.3	12.5	0.0
	R	16	0	0	9	5	2	0	0.0	0.0	56.3	31.3	12.5	0.0
480	ALL	67	0	8	32	14	8	5	0.0	11.9	47.8	20.9	11.9	7.5
	R	63	0	8	30	13	8	4	0.0	12.7	47.6	20.6	12.7	6.3
	N	4	0	0	2	1	0	1	0.0	0.0	50.0	25.0	0.0	25.0
481	ALL	16	0	2	10	1	2	1	0.0	12.5	62.5	6.3	12.5	6.3
	R	16	0	2	10	1	2	1	0.0	12.5	62.5	6.3	12.5	6.3
490	ALL	56	0	2	33	10	4	7	0.0	3.6	58.9	17.9	7.1	12.5
	R	53	0	2	30	10	4	7	0.0	3.8	56.6	18.9	7.5	13.2
	N	3	0	0	3	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
491	ALL	60	1	6	35	4	9	5	1.7	10.0	58.3	6.7	15.0	8.3
	R	55	0	6	34	4	6	5	0.0	10.9	61.8	7.3	10.9	9.1
	N	5	1	0	1	0	3	0	20.0	0.0	20.0	0.0	60.0	0.0
499	ALL	4	0	0	2	0	1	1	0.0	0.0	50.0	0.0	25.0	25.0
	R	3	0	0	2	0	0	1	0.0	0.0	66.7	0.0	0.0	33.3
	N	1	0	0	0	0	1	0	0.0	0.0	0.0	0.0	100.0	0.0
500	ALL	100	0	5	67	17	4	7	0.0	5.0	67.0	17.0	4.0	7.0
	R	96	0	4	67	14	4	7	0.0	4.2	69.8	14.6	4.2	7.3
	N	4	0	1	0	3	0	0	0.0	25.0	0.0	75.0	0.0	0.0
501	ALL	113	0	2	62	30	9	10	0.0	1.8	54.9	26.5	8.0	8.8
	R	105	0	2	59	29	6	9	0.0	1.9	56.2	27.6	5.7	8.6
	N	8	0	0	3	1	3	1	0.0	0.0	37.5	12.5	37.5	12.5
510	ALL	88	0	5	38	18	11	16	0.0	5.7	43.2	20.5	12.5	18.2
	R	80	0	5	34	17	10	14	0.0	6.3	42.5	21.3	12.5	17.5
	N	8	0	0	4	1	1	2	0.0	0.0	50.0	12.5	12.5	25.0
511	ALL	73	1	2	24	16	16	14	1.4	2.7	32.9	21.9	21.9	19.2
	R	71	1	2	24	16	14	14	1.4	2.8	33.8	22.5	19.7	19.7
	N	2	0	0	0	0	2	0	0.0	0.0	0.0	0.0	100.0	0.0
512	ALL	42	0	3	16	14	7	2	0.0	7.1	38.1	33.3	16.7	4.8
	R	40	0	3	16	13	7	1	0.0	7.5	40.0	32.5	17.5	2.5
	N	2	0	0	0	1	0	1	0.0	0.0	0.0	50.0	0.0	50.0
513	ALL	128	1	7	78	26	11	5	0.8	5.5	60.9	20.3	8.6	3.9
	R	107	0	6	68	20	9	4	0.0	5.6	63.6	18.7	8.4	3.7
	N	21	1	1	10	6	2	1	4.8	4.8	47.6	28.6	9.5	4.8
514	ALL	36	0	2	17	10	5	2	0.0	5.6	47.2	27.8	13.9	5.6
	R	34	0	2	16	10	4	2	0.0	5.9	47.1	29.4	11.8	5.9
	N	2	0	0	1	0	1	0	0.0	0.0	50.0	0.0	50.0	0.0



LY97 Antelope Response Data Summary, Kill By Time Period  
By Hunting District and Residency

Loc	Res	Reported Harvest	Time Unkn	Pre- Season	First Week	Second Week	Third Week	Fourth Week	Pcnt Unkn	Pcnt Pre	Pcnt Wk 1	Pcnt Wk 2	Pcnt Wk 3	Pcnt Wk 4
530	ALL	197	4	9	106	42	25	11	2.0	4.6	53.8	21.3	12.7	5.6
	R	157	0	8	87	35	17	10	0.0	5.1	55.4	22.3	10.8	6.4
	N	40	4	1	19	7	8	1	10.0	2.5	47.5	17.5	20.0	2.5
540	ALL	36	1	1	19	8	4	3	2.8	2.8	52.8	22.2	11.1	8.3
	R	31	0	1	17	8	3	2	0.0	3.2	54.8	25.8	9.7	6.5
	N	5	1	0	2	0	1	1	20.0	0.0	40.0	0.0	20.0	20.0
550	ALL	91	0	7	45	17	16	6	0.0	7.7	49.5	18.7	17.6	6.6
	R	86	0	7	44	16	14	5	0.0	8.1	51.2	18.6	16.3	5.8
	N	5	0	0	1	1	2	1	0.0	0.0	20.0	20.0	40.0	20.0
560	ALL	130	0	3	63	29	14	21	0.0	2.3	48.5	22.3	10.8	16.2
	R	127	0	3	62	29	13	20	0.0	2.4	48.8	22.8	10.2	15.7
	N	3	0	0	1	0	1	1	0.0	0.0	33.3	0.0	33.3	33.3
570	ALL	116	2	4	67	18	16	9	1.7	3.4	57.8	15.5	13.8	7.8
	R	103	1	3	63	14	14	8	1.0	2.9	61.2	13.6	13.6	7.8
	N	13	1	1	4	4	2	1	7.7	7.7	30.8	30.8	15.4	7.7
571	ALL	112	0	5	55	26	14	12	0.0	4.5	49.1	23.2	12.5	10.7
	R	107	0	5	54	24	12	12	0.0	4.7	50.5	22.4	11.2	11.2
	N	5	0	0	1	2	2	0	0.0	0.0	20.0	40.0	40.0	0.0
572	ALL	26	0	2	11	7	4	2	0.0	7.7	42.3	26.9	15.4	7.7
	R	21	0	1	7	7	4	2	0.0	4.8	33.3	33.3	19.0	9.5
	N	5	0	1	4	0	0	0	0.0	20.0	80.0	0.0	0.0	0.0
590	ALL	105	0	7	61	20	8	9	0.0	6.7	58.1	19.0	7.6	8.6
	R	92	0	7	58	17	5	5	0.0	7.6	63.0	18.5	5.4	5.4
	N	13	0	0	3	3	3	4	0.0	0.0	23.1	23.1	23.1	30.8
599	ALL	4	0	2	1	1	0	0	0.0	50.0	25.0	25.0	0.0	0.0
	R	4	0	2	1	1	0	0	0.0	50.0	25.0	25.0	0.0	0.0
600	ALL	136	1	12	74	23	9	17	0.7	8.8	54.4	16.9	6.6	12.5
	R	121	0	11	72	18	7	13	0.0	9.1	59.5	14.9	5.8	10.7
	N	15	1	1	2	5	2	4	6.7	6.7	13.3	33.3	13.3	26.7
610	ALL	13	0	2	10	1	0	0	0.0	15.4	76.9	7.7	0.0	0.0
	R	11	0	1	9	1	0	0	0.0	9.1	81.8	9.1	0.0	0.0
	N	2	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
620	ALL	121	2	8	64	27	15	5	1.7	6.6	52.9	22.3	12.4	4.1
	R	104	1	8	56	23	12	4	1.0	7.7	53.8	22.1	11.5	3.8
	N	17	1	0	8	4	3	1	5.9	0.0	47.1	23.5	17.6	5.9
630	ALL	29	0	2	16	7	3	1	0.0	6.9	55.2	24.1	10.3	3.4
	R	28	0	2	16	6	3	1	0.0	7.1	57.1	21.4	10.7	3.6
	N	1	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
640	ALL	4	0	1	2	1	0	0	0.0	25.0	50.0	25.0	0.0	0.0
	R	3	0	1	1	1	0	0	0.0	33.3	33.3	33.3	0.0	0.0
	N	1	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0

LY97 Antelope Response Data Summary, Kill By Time Period  
By Hunting District and Residency

Loc	Res	Reported Harvest	Time Unkn	Pre- Season	First Week	Second Week	Third Week	Fourth Week	Pcnt Unkn	Pcnt Pre	Pcnt Wk 1	Pcnt Wk 2	Pcnt Wk 3	Pcnt Wk 4
<hr/>														
650	ALL	96	0	4	45	25	15	7	0.0	4.2	46.9	26.0	15.6	7.3
	R	80	0	3	41	16	14	6	0.0	3.8	51.3	20.0	17.5	7.5
	N	16	0	1	4	9	1	1	0.0	6.3	25.0	56.3	6.3	6.3
<hr/>														
651	ALL	34	0	1	15	4	3	11	0.0	2.9	44.1	11.8	8.8	32.4
	R	31	0	1	12	4	3	11	0.0	3.2	38.7	12.9	9.7	35.5
	N	3	0	0	3	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
<hr/>														
670	ALL	54	0	2	24	21	5	2	0.0	3.7	44.4	38.9	9.3	3.7
	R	48	0	2	22	19	3	2	0.0	4.2	45.8	39.6	6.3	4.2
	N	6	0	0	2	2	2	0	0.0	0.0	33.3	33.3	33.3	0.0
<hr/>														
690	ALL	116	0	6	54	23	14	19	0.0	5.2	46.6	19.8	12.1	16.4
	R	95	0	5	46	17	9	18	0.0	5.3	48.4	17.9	9.5	18.9
	N	21	0	1	8	6	5	1	0.0	4.8	38.1	28.6	23.8	4.8
<hr/>														
700	ALL	626	7	34	305	155	79	46	1.1	5.4	48.7	24.8	12.6	7.3
	R	490	1	28	257	113	55	36	0.2	5.7	52.4	23.1	11.2	7.3
	N	136	6	6	48	42	24	10	4.4	4.4	35.3	30.9	17.6	7.4
<hr/>														
701	ALL	843	9	31	386	203	144	70	1.1	3.7	45.8	24.1	17.1	8.3
	R	573	2	16	280	146	80	49	0.3	2.8	48.9	25.5	14.0	8.6
	N	270	7	15	106	57	64	21	2.6	5.6	39.3	21.1	23.7	7.8
<hr/>														
702	ALL	111	1	7	49	29	18	7	0.9	6.3	44.1	26.1	16.2	6.3
	R	73	0	4	34	17	13	5	0.0	5.5	46.6	23.3	17.8	6.8
	N	38	1	3	15	12	5	2	2.6	7.9	39.5	31.6	13.2	5.3
<hr/>														
703	ALL	241	0	8	112	46	45	30	0.0	3.3	46.5	19.1	18.7	12.4
	R	156	0	5	74	32	25	20	0.0	3.2	47.4	20.5	16.0	12.8
	N	85	0	3	38	14	20	10	0.0	3.5	44.7	16.5	23.5	11.8
<hr/>														
704	ALL	301	1	23	116	67	61	33	0.3	7.6	38.5	22.3	20.3	11.0
	R	144	0	13	67	30	22	12	0.0	9.0	46.5	20.8	15.3	8.3
	N	157	1	10	49	37	39	21	0.6	6.4	31.2	23.6	24.8	13.4
<hr/>														
705	ALL	552	9	29	239	125	92	58	1.6	5.3	43.3	22.6	16.7	10.5
	R	228	0	7	110	48	28	35	0.0	3.1	48.2	21.1	12.3	15.4
	N	324	9	22	129	77	64	23	2.8	6.8	39.8	23.8	19.8	7.1
<hr/>														
799	ALL	2	0	0	2	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
	R	2	0	0	2	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
<hr/>														
999	ALL	5	0	0	3	2	0	0	0.0	0.0	60.0	40.0	0.0	0.0
	R	1	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
	N	4	0	0	2	2	0	0	0.0	0.0	50.0	50.0	0.0	0.0